

the clients'demands - the target we are seeking for

Superpoids™

Automobile & Refinish

Superpoids™

常州市太宇橡塑有限公司

地址：江苏省常州市劳动东路307号

电话：+86 519 88387328 / 88387338

传真：+86 519 88373988

Changzhou Taiyu Rubber & Plastic Co.,Ltd

Add: 307 Laodong East RD, Changzhou, Jiangsu,China

PS: 213018

Tel: +86 519 88387328 / 88387338

Fax: +86 519 88373988

<http://www.cztaiyu.com>

E-mail: peter_chen@cztaiyu.com



常州市太宇橡塑有限公司
Changzhou Taiyu Rubber & Plastic Co.,Ltd



A general view of company
ISO9001:2000 Quality
management system



Our company is a private industrial enterprise integrating with production, sales and development, founded in 1989 with investment by Mr.Chen Zhigang, for the industry of grinding apparatus and polishing materials for more than ten years,The company is located in the east of ChangZhou City, It is convenient for transportation in air (ChangZhou Airport),Water(Grand Canal) and land.

Since its establishment, the company has been specializing in development and production of power accessories and has accumulated the rich experiences. It has become the main supplier for the word known enterprises such as TTI, Ingersoll-Rand,etc. The series products for power accessories include Backing pad, DA pad, Buffing &Polishing foam pad, Sanding Block, The company sincerely, on the basis of trying to achieve mutual confidence and seeking mutal benefit by meeting each others needs, woold like cooperate with all foreign and domestic traders for the brilliant future.

600WATT Dual Action Polisher Kit 6000029



Unique Features:

- Fast, Powerful Effective, Safe and Easy-to-Use !
- Swirl-free, Professional Results with No Risk !
- Easily Removes Swirl Marks and Scratches, and Improves Paint Gloss !
- Ideal for Applying Polishes and Waxes, and Safe on All Paint Types !
- Variable Speed Dial, lock on Safety Switch for easy control !
- Ergonomic Design and Comfortable Soft-Touch Head Cover !
- Low Noise and Low Vibration !
- Sealed 100% Ball-Bearing Construction Provides Longer Life !
- You can decide which one you want to use it.
- No surface overheat/ maximum Control/ saving time and energy reduction/ superior finish / no holograms.



Suggest to use original accessories for perfect balance!

Specifications:

- Rated Voltage: 110V - 240V AC
- Frequency: 60Hz / 50Hz
- Rated Current: 3.0Amp.
- Rated Power: 600W
- Variable Speed: 2, 500 – 4,800 OPM
- Power Cord: 3.0 meters (12.0 feet) Heavy-duty Cable.
- Accessory: PU Velcro Backing Plate, Side Handle, Wrench, Manual
- Three Professional Foam Pads ,Orange for Comppunding,Blue for Polishing,Black for Finishing


6-Speed Settings: Recommended speeds are as follows:

- 1~2 setting :2500 OPM - 3200OPM Waxing & Buffing
- 3~4 setting :3200 OPM - 4000OPM Polishing & Cleaning
- 5~6 setting :4000 OPM - 4800OPM Removing paint defects and Swirls

Sander Polisher Pads



Dual Action Orbital Sander Pads





Item No: 3002058VE



Item No: 3002059VE

Flexible edge for better buffing.
Precise fit to 7" Velcro type Wool Pad 1002014.
All thread size can be available, such as M14X2, M16X2, 5/8"-11UNC.



The backing pad usually use with Foam pad for buffing car.



20mm Thick

Item No	Size	Thread	Max.RPM	Density	Thickness
3002008	5"	M14x2/5/8"-11UNC	2500	SOFT	25mm
3002143	6"	M14x2/5/8"-11UNC	2500	SOFT	25mm



This pad is designed for using with tied-up sheepskin wool pad the soft EVA will make polishing very smoothly.



Item No	Size	Thread	Max.RPM	Density	Thickness	To Match (S. skin wool pad)
3002122	105MM	M14x2	2500	MEDIUM	25mm	1002001
3002123	130MM	M14x2	2500	MEDIUM	25mm	1002002
3002124	160MM	M14x2	2500	MEDIUM	25mm	1002003
3002125	180MM	M14x2	2500	MEDIUM	25mm	1002004



Item No	Size	Thread	Max.RPM	Density	Thickness
3002212	125MM	M14X2	6000	MEDIUM	25mm
3002211	150MM	M14X2	6000	MEDIUM	25mm
3002023	160MM	M14X2	6000	MEDIUM	25mm



125MM



150MM



160MM


Classic DA Pads

Dual Action Sander Backing Pads, Low File Bevel Edge

Item No	Size	Thread	Velcro	PSA	Max.RPM	Density	Hole	Weight	Thickness
3003130	123mm	5/16"-24	✓		14400	MEDIUM	no	100+/-3g	10mm
3003159	123mm	5/16"-24		✓	14400	MEDIUM	no	100+/-3g	10mm
3003131	123mm	5/16"-24	✓		14400	MEDIUM	5	100+/-3g	10mm
3003160	123mm	5/16"-24		✓	14400	MEDIUM	5	100+/-3g	10mm
3003133	148mm	5/16"-24		✓	14400	MEDIUM	no	130+/-3g	10mm
3003161	148mm	5/16"-24	✓		14400	MEDIUM	no	130+/-3g	10mm



10mm Thick



3003130



3003131




3003133



Dual Action Sander Backing Pads, Low File Straight Edge

Item No	Size	Thread	Velcro	PSA	Max.RPM	Density	Hole	Weight	Thickness
3003126	148mm	5/16"-24		✓	14400	MEDIUM	no	130+/-3g	13mm
3003129	125mm	5/16"-24	✓		14400	MEDIUM	5	100+/-3g	13mm
3003162	125mm	5/16"-24		✓	14400	MEDIUM	5	100+/-3g	13mm
3003128	123mm	5/16"-24	✓		14400	MEDIUM	no	100+/-3g	13mm
3003163	123mm	5/16"-24		✓	14400	MEDIUM	no	100+/-3g	13mm



10mm Thick



3003126



3003128



3003129

Sander Polisher Pads

Dual Action Orbital Sander Pads

Dual Action Orbital Sander Pads



Dual Action Orbital Sander Pads


Multi-Holes DA Pads

Multi-Holes DA Pads,
Fixed Screw


Item No	Size	Thread	Velcro	Max.RPM	Density	Hole	Weight	Thickness
3003078	148mm	5/16"-24	✓	14400	MEDIUM	6+1	130+/-3g	14mm
3003027	123mm	5/16"-24	✓	14400	MEDIUM	44	100+/-3g	10mm
3003115	148mm	5/16"-24	✓	14400	MEDIUM	52	100+/-3g	10mm
3003091	148mm	5/16"-24	✓	14400	MEDIUM	12+6+6	130+/-3g	10mm
3003090	148mm	5/16"-24	✓	14400	MEDIUM	8+6+1	130+/-3g	10mm



6" DA Pads Hole Pattern




5" DA Pads Hole Pattern



Multi-Holes DA Pads,
Fixed Screw,
Side Holes


Item No	Size	Thread	Velcro	Max.RPM	Density	Hole	Weight	Thickness
3003051	148mm	5/16"-24	✓	14400	MEDIUM	6+1	130+/-3g	10mm
3003100	123mm	5/16"-24	✓	14400	MEDIUM	8+1	100+/-3g	10mm
3003166	123mm	5/16"-24	✓	14400	MEDIUM	5	100+/-3g	10mm
3003167	123mm	5/16"-24	✓	14400	MEDIUM	3+3+1	100+/-3g	10mm



Multi-Holes DA Pads

Multi-Holes DA Pads,
Changable Screw for
Festool Sander

Item No	Size	Thread	Velcro	Max.RPM	Density	Hole	Weight	Thickness
3003022	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+6+1	130+/-3g	14mm
3003088	148mm	M8 & 5/16"	✓	14400	SOFT	8+6+8+1	130+/-3g	14mm
3003152	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+6+1	130+/-3g	12mm
3003141	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+8+1	130+/-3g	12mm
3003188	148mm	M8 & 5/16"	✓	14400	SOFT	8+8+1	130+/-3g	12mm



Multi-Holes DA Pads,
Side Holes, Changable
Screw and Adaptor
for Festool Sander

Item No	Size	Thread	Velcro	Max.RPM	Density	Hole	Weight	Thickness
3003164	148mm	M8 & 5/16"	✓	14400	SOFT	8+6+6+1	130+/-3g	12mm
3003103	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+6+6+1	130+/-3g	12mm
3003089	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+6+8+1	130+/-3g	14mm
3003033	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+6+1	130+/-3g	11mm
3003087	148mm	M8 & 5/16"	✓	14400	MEDIUM	8+1	130+/-3g	12mm
3003165	123mm	M8 & 5/16"	✓	14400	MEDIUM	8+1	130+/-3g	10mm



Dual Action Orbital Sander Pads



Decal Rubber Eraser

Other DA Pads

Smart Repair Pads

Item No	Size	Thread	Velcro	PSA	Max.RPM	Density	Hole	Weight	Thickness
3003068	90mm	5/16"-24	✓		18000	MEDIUM	no	77+/-2g	12mm
3003112	48mm	M6x1	✓		18000	MEDIUM	no	20+/-2g	10mm
3003125	73mm	M6x1	✓		18000	SOFT	3	32+/-2g	10mm
3003132	73mm	5/16"-24	✓		18000	MEDIUM	no	70+/-2g	10mm
3003149	73mm	5/16"-24	✓		18000	MEDIUM	6	31+/-2g	10mm
3003155	73mm	5/16"-24	✓		18000	MEDIUM	no	31+/-2g	10mm



3003068



3003112



3003125



3003132



3003149



3003155

Decal Rubber Eraser

Eraser disc



TOP USES: Let the Decal Rubber Eraser Wonder Wheel Easily remove Old Baked on Car Decals and Stickers from your RV or SUV doors. Remove stickers from any glass surface. Not recommend Plastic or Lacquer coatings.
PROVEN SUCCESS: The Decal Eraser Wheel made from soft rubber is the most successful sticker removal tool in removing decals from Cars, Windows, Signs, Metal Haul Boats & Trucks.
FAST: The Vinyl Remover is the fastest and easiest way to remove the Hardest Car Decals & Stickers in Minutes.
SAFE: The Eraser Pad is Perfect for the hardest decal and sticker removal jobs without gouging or scratching the paint work OR touching toxic chemicals (SAFE on Factory Finished PAINTED SURFACES).

Item No	Size	Thickness	Thread	Accessory
3008026	87mm	15mm	5/16"-24T	Shaft for power drill

TOP OBLITERATE DECALS: With the This Rubber Eraser Wheel Adhesive Remover with Adapter 1-Pack to remove any vinyl, decal, graphic, double-sided molding tape, striping, and trim on your car, truck, or similar vehicle; 90MM diameter (larger than others!); Molded rubber medium density drill attachment tool with a stop use line; For use with electric drill with maximum 4,000 RPM (best results between 1,500 and 3,000) (Not for use on lacquer coatings) Dramatically reduces the time spent on the removal of Pinstripes, Adhesive, Decals and Double Faced Tape SUPERIOR DESIGN: Solid round design is larger in size than other discs which makes this wheel fast, easy to control, plugs up less during use, and stays cool.
 Molded rubber with 5/16"-24 thread arbor - Max RPM: 4,000 - For use with any electric drill.
SAFE: Will not gouge or scratch acrylic enamel or urethane paint work; No need for dangerous and harmful chemicals; The wheel has a durable construction that withstands up to 4,000 RPM; The included 5/16" 24 hardware makes it compatible with any standard drill.
EASY TO USE: Apply light pressure starting at the top of the decal and moving side to side, or for faster results, use entire width of the wheel without tilting or angling; Remove any residue with appropriate mild solvent; Always use proper protective equipment when using power tools.

Item No	Size	Thickness	Thread	Accessory
3008048	90mm	15mm	5/16"-24T	Shaft for power drill



OBLITERATE DECALS: With This Rubber Eraser Wheel Adhesive Remover with Adapter 1-Pack to remove vinyl, decal, graphic, double-sided molding tape, striping, and trim on your car, truck, or similar vehicle; 4-inch (10.2cm) diameter (larger than others!); Molded rubber medium density drill attachment tool with a stop use line; For use with electric drill with maximum 4,000 RPM (best results between 1,500 and 3,000) (Not for use on lacquer coatings) Dramatically reduces the time spent on the removal of Pinstripes, Adhesive, Decals and Double Faced Tape SUPERIOR DESIGN: Solid round design is larger in size than other discs which makes this wheel fast, easy to control, plugs up less during use, and stays cool.
 Molded rubber with 5/16"-24 thread arbor - Max RPM: 4,000 - For use with any electric drill.
SAFE: Will not gouge or scratch acrylic enamel or urethane paint work; No need for dangerous and harmful chemicals; The wheel has a durable construction that withstands up to 4,000 RPM; The included 5/16" 24 hardware makes it compatible with any standard drill.
EASY TO USE: Apply light pressure starting at the top of the decal and moving side to side, or for faster results, use entire width of the wheel without tilting or angling; Remove any residue with appropriate mild solvent; Always use proper protective equipment when using power tools.

Item No	Size	Thickness	Thread	Accessory
3008047	100mm	25mm	5/16"-24T	Shaft for power drill

Interface Pads

Placed between pad and abrasive disc to create a very soft sanding surface.
 10mm Soft foam layer.
 Max RPM: 14400



Protection Disc

Thin interface layer to protect and increase your pads life.



Item No	Size	Foam Thickness	Hole	Density
3009001	150mm	10mm	52	SOFT
3009002	150mm	10mm	6+1	SOFT
3009003	150mm	10mm	8+1	SOFT
3009004	150mm	10mm	8+6+1	SOFT
3009005	150mm	10mm	no	SOFT
3009006	125mm	10mm	5+1	SOFT
3009007	125mm	10mm	no	SOFT
3009008	50mm	10mm	no	SOFT
3009009	75mm	10mm	no	SOFT



Item No	Size	Foam Thickness	Hole	Density
3009010	400x70mm	n/a	14	n/a
3009011	150mm	n/a	6	n/a
3009012	150mm	n/a	8+6+1	n/a
3009013	150mm	n/a	8+1	n/a
3009014	150mm	n/a	8+6+6+1	n/a
3009015	150mm	n/a	no	n/a
3009016	125mm	n/a	no	n/a
3009017	230x115mm	n/a	10	n/a



Decal Rubber Eraser


Interface Pads

Roloc Pads



German Professional Foams


Item No	Diameter	Thread	Abrasive	Flexibility	Type	Max.RPM
3008001	34mm	1/4"-20	1.5"	Firm	TS	25000
3008002	34mm	1/4"-20	1.5"	Firm	TR	25000
3008003	45mm	1/4"-20	2"	Firm	TS	25000
3008004	45mm	1/4"-20	2"	Firm	TR	25000
3008005	69mm	1/4"-20	3"	Firm	TS	25000
3008006	69mm	1/4"-20	3"	Firm	TR	25000
3008007	98mm	1/4"-20	4"	Firm	TS	16800
3008008	98mm	1/4"-20	4"	Firm	TR	16800
3008009	45mm	1/4"-20	2"	Flexible	TS	25000
3008010	45mm	1/4"-20	2"	Flexible	TR	25000
3008011	69mm	1/4"-20	3"	Flexible	TS	25000
3008012	69mm	1/4"-20	3"	Flexible	TR	25000



Roloc Disc Holders



Item No	Size	Thread	Velcro	Max.RPM	Density	Thickness
3003108	3"	R-lock	√	3000	Soft	20mm



Foam Code

EUROPE FOAM CHART

	Ultra Finishing	Finishing	Polishing	Compounding	Cutting
EY	Yellow	Yellow	Yellow	Yellow	Yellow
CEW	White	White	White	White	White
EM	Maroon	Maroon	Maroon	Maroon	Maroon
CEO	Orange	Orange	Orange	Orange	Orange
CEY	Yellow	Yellow	Yellow	Yellow	Yellow
EW	White	White	White	White	White
EO	Orange	Orange	Orange	Orange	Orange
EB	Blue	Blue	Blue	Blue	Blue
PEW	White	White	White	White	White
EBK	Black	Black	Black	Black	Black
EG	Green	Green	Green	Green	Green
ER	Red	Red	Red	Red	Red

Classic Foam Pads



Item No	Function	Specification	Size
1003023EY	Heavy Cutting	Yellow/M14x2	150x50mm
1003023EM	Heavy Compounding	Maroon/M14x2	150x50mm
1003023CEY	Compounding	Yellow/M14x2	150x50mm
1003023EO	Light Compounding	Orange/M14x2	150x50mm
1003023EB	Heavy Polishing	Blue/M14x2	150x50mm
1003023EBK	Finishing	Black/M14x2	150x50mm
1003023EG	Light Finishing	Green/M14x2	150x50mm
1003023ER	Ultra Finishing	Red/M14x2	150x50mm

Roloc Pads

German Professional Foams

Classic Foam Pads



1003028

Item No	Function	Specification	Size
1003028EY	Heavy Cutting	Yellow/Velcro	6"x2"
1003028EM	Heavy Compounding	Maroon/Velcro	6"x2"
1003028CEY	Compounding	Yellow/Velcro	6"x2"
1003028EO	Light Compounding	Orange/Velcro	6"x2"
1003028EB	Heavy Polishing	Blue/Velcro	6"x2"
1003028EBK	Finishing	Black/Velcro	6"x2"
1003028EG	Light Finishing	Green/Velcro	6"x2"
1003028ER	Ultra Finishing	Red/Velcro	6"x2"



1003029

Item No	Function	Specification	Size
1003029EY	Heavy Cutting	Yellow/Velcro	6"x1"
1003029EM	Heavy Compounding	Maroon/Velcro	6"x1"
1003029CEY	Compounding	Yellow/Velcro	6"x1"
1003029EO	Light Compounding	Orange/Velcro	6"x1"
1003029EB	Heavy Polishing	Blue/Velcro	6"x1"
1003029EBK	Finishing	Black/Velcro	6"x1"
1003029EG	Light Finishing	Green/Velcro	6"x1"
1003029ER	Ultra Finishing	Red/Velcro	6"x1"
1003029CEW	Cutting	White/Velcro	6"x1"



1003003

Item No	Function	Specification	Size
1003003EY	Heavy Cutting	Yellow	80x25mm
1003003EM	Heavy Compounding	Maroon	80x25mm
1003003CEY	Compounding	Yellow	80x25mm
1003003EO	Light Compounding	Orange	80x25mm
1003003EB	Heavy Polishing	Blue	80x25mm
1003003EBK	Finishing	Black	80x25mm
1003003EG	Light Finishing	Green	80x25mm
1003003ER	Ultra Finishing	Red	80x25mm
1003003CEW	Cutting	White	80x25mm



1003042

Item No	Function	Specification	Size
1003042EY	Heavy Cutting	Yellow foam	8"x1.25"
1003042CEY	Compounding	Yellow foam	8"x1.25"
1003042EO	Light Compounding	Orange foam	8"x1.25"
1003042EB	Heavy Polishing	Blue foam	8"x1.25"
1003042EBK	Finishing	Black foam	8"x1.25"
1003042ER	Ultra Finishing	Red foam	8"x1.25"

Recessed Foam Pads



1003167



1003043



Recessed Foam Pads

The foam 'walls' around the recessed centre of these foams provide a protective barrier between the edge of the backing pad and the work surface.



1003102



1003104



1003159

Item No	Function	Specification	Size
1003167EM	Heavy Compounding	Maroon foam	6.5"x1.25"
1003167CEY	Compounding	Yellow foam	6.5"x1.25"
1003167EO	Light Compounding	Orange foam	6.5"x1.25"
1003167EB	Heavy Polishing	Blue foam	6.5"x1.25"
1003167EBK	Finishing	Black foam	6.5"x1.25"
1003167EG	Light Finishing	Green foam	6.5"x1.25"
1003167ER	Ultra Finishing	Red foam	6.5"x1.25"

Item No	Function	Specification	Size
1003043CEY	Compounding	Yellow foam	9"x1.5"
1003043EO	Light Compounding	Orange foam	9"x1.5"
1003043EB	Heavy Polishing	Blue foam	9"x1.5"
1003043EBK	Finishing	Black foam	9"x1.5"
1003043ER	Ultra Finishing	Red foam	9"x1.5"

Item No	Function	Specification	Size
1003102EM	Heavy Compounding	Maroon foam	6.5"x1.25"
1003102CEY	Compounding	Yellow foam	6.5"x1.25"
1003102EO	Light Compounding	Orange foam	6.5"x1.25"
1003102EB	Heavy Polishing	Blue foam	6.5"x1.25"
1003102EBK	Finishing	Black foam	6.5"x1.25"
1003102EG	Light Finishing	Green foam	6.5"x1.25"
1003102ER	Ultra Finishing	Red foam	6.5"x1.25"

Item No	Function	Specification	Size
1003104EM	Heavy Compounding	Maroon foam	9"x1.5"
1003104CEY	Compounding	Yellow foam	9"x1.5"
1003104EO	Light Compounding	Orange foam	9"x1.5"
1003104EB	Heavy Polishing	Blue foam	9"x1.5"
1003104EBK	Finishing	Black foam	9"x1.5"
1003104EG	Light Finishing	Green foam	9"x1.5"
1003104ER	Ultra Finishing	Red foam	9"x1.5"

Item No	Function	Specification	Size
1003159EM	Heavy Compounding	Maroon foam	7.5"x1.25"
1003159CEY	Compounding	Yellow foam	7.5"x1.25"
1003159EO	Light Compounding	Orange foam	7.5"x1.25"
1003159EB	Heavy Polishing	Blue foam	7.5"x1.25"
1003159EBK	Finishing	Black foam	7.5"x1.25"
1003159EG	Light Finishing	Green foam	7.5"x1.25"
1003159ER	Ultra Finishing	Red foam	7.5"x1.25"

Waffle Foam Pads



1003170

Item No	Function	Specification	Size
1003170EM	Heavy Compounding	Wave and maroon	80x25mm
1003170CEY	Compounding	Wave and yellow	80x25mm
1003170EO	Light Compounding	Wave and orange	80x25mm
1003170EB	Heavy Polishing	Wave and blue	80x25mm
1003170EBK	Finishing	Wave and black	80x25mm
1003170ER	Ultra Finishing	Wave and red	80x25mm




1003169

Item No	Function	Specification	Size
1003169EM	Heavy Compounding	Wave and maroon	6"x1"
1003169CEY	Compounding	Wave and yellow	6"x1"
1003169EO	Light Compounding	Wave and orange	6"x1"
1003169EB	Heavy Polishing	Wave and blue	6"x1"
1003169EBK	Finishing	Wave and black	6"x1"
1003169ER	Ultra Finishing	Wave and red	6"x1"



1003168

Item No	Function	Specification	Size
1003168EM	Heavy Compounding	Wave and maroon	8"x1.25"
1003168CEY	Compounding	Wave and yellow	8"x1.25"
1003168EO	Light Compounding	Wave and orange	8"x1.25"
1003168EB	Heavy Polishing	Wave and blue	8"x1.25"
1003168EBK	Finishing	Wave and black	8"x1.25"
1003168ER	Ultra Finishing	Wave and red	8"x1.25"



1003148

Item No	Function	Specification	Size
1003148CEY	Compounding	Yellow	8"x1.25"
1003148EO	Light Compounding	Orange	8"x1.25"
1003148EB	Heavy Polishing	Blue	8"x1.25"
1003148EBK	Finishing	Black	8"x1.25"
1003148ER	Ultra Finishing	Red	8"x1.25"

Large Wave




Waffle Face

The waffle face provide pockets to hold the compound on the foam reducing application time and providing a more even finish.



Ring-Net Texture



30mm deep detailing pads with a Ring-Net Texture surface helping to retain compound for an incredibly even finish. All with velour fastening for use with any GRIP backing pad or holder.

Item No	Function	Loop Size	Size
103300CEYR	Heavy Cutting	5"	6"
103300EOR	Medium Cutting	5"	6"
103300PEWR	Medium Polishing	5"	6"
103300EBKR	Finishing	5"	6"
103300PERR	Ultra Light Finishing	5"	6"



Item No	Function	Loop Size	Size
103301CEYR	Heavy Cutting	5"	5.5"x1"
103301EOR	Medium Cutting	5"	5.5"x1"
103301PEWR	Medium Polishing	5"	5.5"x1"
103301EBKR	Finishing	5"	5.5"x1"
103301PERR	Ultra Light Finishing	5"	5.5"x1"



Item No	Function	Loop Size	Size
103302CEYR	Heavy Cutting	6"	6.5"x1"
103302EOR	Medium Cutting	6"	6.5"x1"
103302PEWR	Medium Polishing	6"	6.5"x1"
103302EBKR	Finishing	6"	6.5"x1"
103302PERR	Ultra Light Finishing	6"	6.5"x1"

Foam Pads, Meguiars Type



1003238

Item No	Function	Specification	Size
1003238TM	Compounding	Maroon foam	180x30mm
1003238PEY	Polishing	Yellow foam	180x30mm
1003238EBK	Finishing	Black foam	180x30mm

Foam Polishing Cone



Item No	Function	Specification	Size
3008032ER	Finishing&Polishing	Red foam	4"
3008032EBK	Finishing&Polishing	Black foam	4"
3008032EY	Compounding	Yellow foam	4"
3008032FEB	Finishing&Polishing	Blue foam	4"




Foam Pads, Rupes Type



1003233

Item No	Function	Specification	Size
1003233CEY	Compounding	Yellow foam	150x25mm
1003233EO	Litght Compounding	Orange foam	150x25mm
1003233EB	Heavy Polishing	Blue foam	150x25mm
1003233EW	Heavy Polishing	White foam	150x25mm
1003233EBK	Finishing	Black foam	150x25mm
1003233EG	Litght Finishing	Green foam	150x25mm
1003233ER	Ultra Finishing	Red foam	150x25mm
1003233CEB	Compounding	Blue foam	150x25mm
1003233PEO	Heavy Polishing	Orange foam	150x25mm

Foam Pads, Rupes Type



1003265CEYR 1003265EOR 1003265CMR 1003265CHSR 1003265PEBR



1003265PEWR 1003265EBKR



1003265PERR

Item No	Function	Specification	Size
1003265CEYR	Heavy Cutting	Yellow Foam	4"x30mm
1003265EOR	Medium Cutting	Orange Foam	4"x30mm
1003265CMR	Cutting/Compounding	Maroon Foam	4"x30mm
1003265CHSR	Compounding	Yellow Foam	4"x30mm
1003265PEBR	Polishing/Finishing	Blue Foam	4"x30mm
1003265PEWR	Medium Polishing	White Foam	4"x30mm
1003265EBKR	Finishing	Black Foam	4"x30mm
1003265PERR	Ultra Finishing	Red Foam	4"x30mm



1003266CEYR 1003266EOR 1003266CMR 1003266CHSR 1003266PEBR



1003266PEWR 1003266EBKR



1003266PERR

Item No	Function	Specification	Size
1003266CEYR	Heavy Cutting	Yellow Foam	150x30mm
1003266EOR	Medium Cutting	Orange Foam	150x30mm
1003266CMR	Cutting/Compounding	Maroon Foam	150x30mm
1003266CHSR	Compounding	Yellow Foam	150x30mm
1003266PEBR	Polishing/Finishing	Blue Foam	150x30mm
1003266PEWR	Medium Polishing	White Foam	150x30mm
1003266EBKR	Finishing	Black Foam	150x30mm
1003266PERR	Ultra Light Finishing	Red Foam	150x30mm



1003267CEYR 1003267EOR 1003267CMR 1003267CHSR 1003267PEBR




1003267PEWR 1003267EBKR



1003267PERR

Item No	Function	Specification	Size
1003267CEYR	Heavy Cutting	Yellow Foam	7"x30mm
1003267EOR	Medium Cutting	Orange Foam	7"x30mm
1003267CMR	Cutting/Compounding	Maroon Foam	7"x30mm
1003267CHSR	Compounding	Yellow Foam	7"x30mm
1003267PEBR	Polishing/Finishing	Blue Foam	7"x30mm
1003267PEWR	Medium Polishing	White Foam	7"x30mm
1003267EBKR	Finishing	Black Foam	7"x30mm
1003267PERR	Ultra Light Finishing	Red Foam	7"x30mm



Item No	Function	Loop Size	Size
1003268CEYR	Heavy Cutting	6"	7"x1.25"
1003268PEWR	Medium Polishing	6"	7"x1.25"
1003268EBKR	Finishing	6"	7"x1.25"
1003268PERR	Ultra Finishing	6"	7"x1.25"



1003268CEYR



1003268PEWR



1003268EBKR



1003268PERR

High Density Foam Pads are manufactured to perform exceptionally well with the Long Throw Gear Driven, Rotary and DA machines. Chemicals are continuously applied to the working surface, providing constant lubrication between the pad and the surface.

Foam Pads feature a taped edge and conforms to any panel shape and fits into tight areas with ease. Also protects surface working area from the packing plate.

Foam Pads produces premium results, reduces labor time, and uses less chemicals.



Item No	Function	Specification	Loop Size	Size
1003285CEBR	Buffing	Green Foam	3"	4"
1003286CEBR	Buffing	Green Foam	5"	6"
1003287CEBR	Buffing	Green Foam	6"	7"



Item No	Function	Specification	Loop Size	Size
1003285CEYR	Polishing	Yellow Foam	3"	4"
1003286CEYR	Polishing	Yellow Foam	5"	6"
1003287CEYR	Polishing	Yellow Foam	6"	7"



Item No	Function	Specification	Loop Size	Size
1003285BEGR	Cutting	Blue Foam	3"	4"
1003286BEGR	Cutting	Blue Foam	5"	6"
1003287BEGR	Cutting	Blue Foam	6"	7"



Item No	Function	Specification	Loop Size	Size
1003285EWR	Finishing	White Foam	3"	4"
1003286EWR	Finishing	White Foam	5"	6"
1003287EWR	Finishing	White Foam	6"	7"

Recessed Foam Pads

Foam Code

- UY
- UB
- UBK


USA FOAM CHART

	Ultra Finishing	Finishing	Polishing	Compounding	Cutting
--	-----------------	-----------	-----------	-------------	---------

UY **Yellow**

UB **Blue**

UBK **Black**



1003043 USA FOAM



1003102 USA FOAM



1003104 USA FOAM



1003159 USA FOAM

Item No	Function	Specification	Size
1003043UY	Cutting	Yellow foam	9"x1.5"
1003043UB	Compounding	Blue foam	9"x1.5"
1003043UBK	Finishing	Black foam	9"x1.5"

Item No	Function	Specification	Size
1003102UY	Light Compounding	Yellow foam	6.5"x1.25"
1003102UB	Light Polishing	Blue foam	6.5"x1.25"
1003102UBK	Finishing	Black foam	6.5"x1.25"

Item No	Function	Specification	Size
1003104UY	Light Compounding	Yellow foam	9"x1.5"
1003104UB	Light Polishing	Blue foam	9"x1.5"
1003104UBK	Finishing	Black foam	9"x1.5"

Item No	Function	Specification	Size
1003159UY	Light Compounding	Yellow foam	7.5"x1.5"
1003159UB	Light Polishing	Blue foam	7.5"x1.5"
1003159UBK	Finishing	Black foam	7.5"x1.5"



Recessed Foam Pads

The foam 'walls' around the recessed centre of these foams provide a protective barrier between the edge of the backing pad and the work surface.


Professional Wool Pads



Microfiber Pads

100% Wool Pad

100% Wool Pad, Short Pile Wool with 5mm Foam Layer



Item No	Size	Attachment	Backing Pad
1002028	80mm	Velcro	80mm
1002029	100mm	Velcro	100mm
1002030	135mm	Velcro	135mm
1002031	150mm	Velcro	150mm




5mm Foam Layer



15mm Foam Layer

100% Wool Pad, Short Pile Wool with 15mm Foam Layer



Item No	Size	Attachment	Backing Pad
1002032	150mm	Velcro	135mm
1002033	180mm	Velcro	160mm



Micro Fiber Pads



Item No	Function	Specification	Size
1003190P	Polishing	Bevel Edge	150mm
1003190F	Finishing	Bevel Edge	150mm




Item No	Function	Specification	Size
3009030P	Polishing	Bevel Edge	150mm
3009030F	Finishing	Bevel Edge	150mm

Microfiber Pads

White microfibre polishing disc backed with a firm cutting foam. Works wonders with slightly oilier compounds.




Item No	Function	Size	Max RPM
1003288	Polishing	55mm	2,500
1003289	Polishing	80mm	2,500
1003290	Polishing	100mm	2,500
1003291	Polishing	150mm	2,500
1003292	Polishing	180mm	2,500




Detailing PRO Wool

Short pile 100% wool pads with soft foam layer for additional control



Item No	Function	Size	Max RPM
1003293	Cutting	30mm	2,500
1003294	Cutting	55mm	2,500
1003295	Cutting	80mm	2,500
1003296	Cutting	100mm	2,500
1003297	Cutting	135mm	2,500
1003298	Cutting	160mm	2,500



Microfiber Pads

Detailing PRO Wool

Sheepskin Wool Pad

Sheepskin Wool Pad, Tied up



Item No	Size	Attachment	Backing Pad
1002001	125mm	Tied Up	105mm
1002002	150mm	Tied Up	130mm
1002003	180mm	Tied Up	160mm
1002004	200mm	Tied Up	180mm
1002005	225mm	Tied Up	205mm



1002003



1002001



3002124 Page 3

Sheepskin Wool Pad, Velcro



Item No	Size	Attachment	Backing Pad
1002042	50mm	Velcro	50mm
1002008	80mm	Velcro	75mm
1002009	100mm	Velcro	100mm
1002010	130mm	Velcro	125mm
1002011	150mm	Velcro	150mm
1002012	180mm	Velcro	180mm
1002043	200mm	Velcro	200mm

Double Side Wool Pads, 50% or 100% Wool



Item No	Size	Attachment	Material
1002016	200mm	Srew	100% Wool
1002018	200mm	Srew	50% Wool



Item No	Internal Thread	External Thread	Remark
3004204	5/8"-11	5/8"-11	For Double Side wool pads
3004205	M14	5/8"-11	For Double Side wool pads
3004206	M16	5/8"-11	For Double Side wool pads

Single Side Wool Pads, 100% Wool




Item No	Size	Attachment	Backing Pad
1002013	150mm	Velcro	150mm
1002014	200mm	Velcro	200mm

Single Side Wool Pads, 100% Wool, Bolted On



Item No	Size	Attachment	Material
1002020	200mm	Bolted On	100% Wool
1002021	200mm	Bolted On	50% Wool

Classic Round Hand Pads



Item No	Diameter	Velcro	PSA	Density
3004027	91mm	✓		MEDIUM

Item No	Diameter	Velcro	PSA	Density
3004030	75mm	✓		MEDIUM

Item No	Diameter	Velcro	PSA	Density
3004045	125mm	✓		MEDIUM

Item No	Diameter	Velcro	PSA	Density
3004046	150mm	✓		MEDIUM

Item No	Diameter	Velcro	PSA	Density
3004199	103mm	✓		MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004002	150mm	✓		MEDIUM
3004203	150mm		✓	MEDIUM
3004234	125mm	✓		MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004110	150MM	✓		MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004138	150mm	✓		MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004221	125mm	✓		MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004289	175x95	✓		MEDIUM

Hand Pads



Item No	Diameter	Velcro	PSA	Density
3004217	70x124mm	✓		MEDIUM+SOFT



Item No	Diameter	Velcro	PSA	Density
3004025	120x67mm	✓		MEDIUM
3004204	120x67mm		✓	MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004097	70x198mm	✓		HARD



Item No	Diameter	Velcro	PSA	Density
3004139	70x123mm	✓		HARD



Item No	Diameter	Velcro	PSA	Density
3004147	140x67mm	✓		MEDIUM



Item No	Size	Velcro	PSA	Density
3004094	70x420mm	✓		HARD



Item No	Size	Velcro	PSA	Density
3004095	70x400mm	✓		MEDIUM



Flexible



Item No	Size	Velcro	PSA	Density
3004295	70x400mm	✓		MEDIUM

Hand Pads

Semi-Round Hand Pads



Item No	Size	Velcro	PSA	Density
3004096	70x198mm	✓		HARD



Item No	Size	Velcro	PSA	Density
3004106	70x123mm	✓		HARD

Smart Repair Pads



Item No	Diameter	Velcro	PSA	Density
3004111	32mm	✓		MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004133	30mm	✓	✓	MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004134	28mm	✓		HARD

Square Hand Pads with Air Holes



Item No	Size	Velcro	PSA	Holes	Density
3004157	70x125mm	✓		13	HARD



Item No	Size	Velcro	PSA	Holes	Density
3004158	70x200mm	✓		22	HARD



Item No	Size	Velcro	PSA	Holes	Density
3004159	70x400mm	✓		14	HARD

Hand Pads

Hand Pads

Hand Pads



Hand Pads


Square Hands Pads with Lock System



Item No	Size	Lock	Density
3004028	210x103mm	✓	HARD



Item No	Size	Lock	Density
3004029	163x86mm	✓	HARD



Item No	Size	Lock	Density
3004153	70x125mm	✓	HARD



Item No	Size	Lock	Density
3004154	70x225mm	✓	HARD

Hand Pads with Cuts



Item No	Diameter	Velcro	PSA	Density
3004117	150mm	✓		MEDIUM



Item No	Diameter	Velcro	PSA	Density
3004160	150mm	✓		MEDIUM



Item No	Size	Velcro	PSA	Density
3004116	70x125mm	✓		MEDIUM



Item No	Size	Velcro	PSA	Density
3004161	70x125mm	✓		MEDIUM



Item No	Size	Velcro	Loop	Color	Density
3009018	70x150mm	✓	✓	Black	SOFT
3009019	70x150mm	✓	✓	Orange	MEDIUM
3009020	70x150mm	✓	✓	Yellow	HARD



This interface pads kit including three pads in different densities:hard,medium and soft,usually use with hand sanding block No.3004117 in page 27.

Flexible Hand Pads



Item No	Size	Velcro	PSA	Density
3004200	3"	✓		Flexible



Item No	Size	Velcro	PSA	Density
3004201	5"	✓		Flexible



Item No	Size	Velcro	PSA	Density
3004202	6"	✓		Flexible



Kits



Item No	Description
6000007	Includes: 1. Interface pads 89(79)x150mm, including three color with three different hardness. 2. 3 pcs PU Foam Sanding Block,Dia 150mm. 3. Spot Sanding Block,Dia 35mm. 4. Wedge Sander,Dia 150mm. 5. 1 pc blade

Item No	Description
6000005	Includes: 1 Pilot sanding block and 4 velour/gripping supports of various forms. This article permits to use self-gripping abrasive discs pre-cut. Allowing to sandpapering any concave,convex and flat part thanks to special accessories applicable to the pilot sanding block,each article cannot be sold separately.



Item No	Description
6000006	Includes: 1. Hard Sanding Block, 70x400mm 2. Flexible Sanding Block, 70x400mm 3. Rubber Sanding Block, 70x125mm 4. PU foam sanding block, Dia.150mm 5. Spot Sanding Block, Dia.35mm 6. Wedge Sander, Dia.150mm This sanding kit can sandi different kinds of concave, convex and flat surface.



Item No	Description
6000015	3" Waffle Buffing Kit Includes: 1 pc 3" Backing Pad 1 pc Sheepskin Wool Pad for Heavy Cutting 1 pc Waffle Orange Foam Pad for Lit Cutting or Compounding 1pc Waffle White Foam Pad for Compounding or Heavy Polishing 1 pc Waffle Black Foam Pad for Finishing



Item No	Description
6000013	3" Flat Buffing Kit Includes: 1 pc 3" Backing Pad 1 pc Sheepskin Wool Pad for Heavy Cutting 1 pc Flat Orange Foam Pad for Lit Cutting or Compounding 1pc Flat White Foam Pad for Compounding or Heavy Polishing 1 pc Flat Black Foam Pad for Finishing



Item No	Description
6000012	2" Sanding Kit Includes: 1 pc Hook & Loop Backing Pad 5 pcs Sanding Dics with Grit 100 5 pcs Sanding Dics with Grit 150 Max RPM: 2800



Item No	Description
6000023	Smart Repair Pad with Various Adaptors Includes: 1 pc 3" Backing Pad 1 pc Adaptor 5/16" male thread to 5/16" male thread 1 pc Adaptor 5/16" male thread to 1/4"-20 male thread 1 pc Adaptor 5/16" male thread to 1/4"-20 female thread 1 pc Adaptor 5/16" male thread to M6 male thread 1 pc Adaptor 5/16" male thread to 1/4-28 male thread



Item No	Description
6000027	5" Sanding & Polishing Kit Includes: 1 pc of Spindle pad 1 pc of Foam pad 1 pc of Wool pad, Velcro face 3 pcs of Aluminum Oxide Sanding paper, Grit:400, 600, 800



Item No	Description
6000024	3" Headlamp Lens Restoration Kit Includes: 1 pc Driller Backing Pad 1 pc Polishing Foam Pad 2 pcs Resurfacing Pad 1 pc Polishing Compound



Item No	Description
6000141	5pce Polishing kit to suit drills Includes: 75mm hook & loop backing pad with spindle 105mm hook & loop backed black polishing foam pad 105mm hook & loop backed yellow cutting foam pad 120mm hook & loop backed yellow wool polishing pad 120mm hook & loop backed white wool cutting pad Size: 75mm Spindle Size: 6MM Screw Size : M14X2



Zinc-streared Dry Sanding Disc, Yellow-paint and steel sanding


Item No:5002011SY
Size:6"(150mm)
Available Grit:P60-P500
Holes:6+1
Description:Hook and Loop system



Item No:5002018SY
Size:6"(150mm)
Available Grit:P60-P500
Holes:8
Description:Hook and Loop system



Item No:5002009SY
Size:6"(150mm)
Available Grit:P60-P500
Holes:8+6+1
Description:Hook and Loop system




Item No:5002010SY
Size:6"(150mm)
Available Grit:P60-P500
Holes:8+1
Description:Hook and Loop system



Item No:5002004SY
Size:5"(125mm)
Available Grit:P60-P500
Holes:5
Description:Hook and Loop system



Item No:5002006SY
Size:5"(125mm)
Available Grit:P60-P500
Holes:no
Description:Hook and Loop system



VELCRO SANDING ROLL

Item No:5003008
Description:Yellow zinc-Stearated Paper in roll size 70mmx10M with Velcro.
 Suitable for manual sanding ,can be use with our sanding block 3004025,3004059,3004022,3004023,3004024,3004097,3004096,3004105,3004095 in Page No.32,33,34&35.

Flap Disc

the flap disc is a perfect substitute for grinding wheel of depressed center for its high flexibility, high grinding efficiency, low noise and terrific sharpness, which is suitable for finishing surfaces and for paint removing.



Aluminium Oxide

available grit: 40-320

Item No	SPC058	SPC059	SPC060	SPC061	SPC062
Size	100X16mm	115X22mm	125X22mm	150X22mm	180X22mm

Zircon Aluminium

available grit: 40-320

Item No	SPC063	SPC064	SPC065	SPC066	SPC067
Size	100X16mm	115X22mm	125X22mm	150X22mm	180X22mm

Carbon Oxide

available grit: 40-320

Item No	SPC068	SPC069	SPC070	SPC071	SPC072
Size	100X16mm	115X22mm	125X22mm	150X22mm	180X22mm

Cleaning Strip Disc

Idea for all cleaning works on resinous, painted or very rusty surface, usually for finishing surface and for rust and paint removing.

Cleaning Strip Disc, Srew Type

Item No	Size	Thread Size	Color
3006012B	6"	M14x2	Blue
3006012BK	6"	M14x2	Black
3006012P	6"	M14x2	Purple
3006014B	4"	M14x2	Blue
3006014BK	4"	M14x2	Black
3006014P	4"	M14x2	Purple



Cleaning Strip Disc, Nut Lock Type

Item No	Size	Nut Lock	Color
3006001BK	4.5"	✓	Black
3006022BK	4"	✓	Black
3006023BK	5"	✓	Black
3006025BK	7"	✓	Black



Cleaning Strip Disc, Spindle Type



Item No:3004208

Item No	Size	Spindle Size	Color
3006008B	4"	6mm	Blue
3006008BK	4"	6mm	Black
3006008P	4"	6mm	Purple
3006028B	6"	6mm	Blue
3006028BK	6"	6mm	Black
3006028P	6"	6mm	Purple



Cleaning Strip Disc, Roloc Type



Item No	Size	Thread Size	Color
3006004B	2"	TR	Blue
3006004BK	2"	TR	Black
3006004P	2"	TR	Purple

Round Wax Applicator



Item No	Function	Specification	Size
1003214	Wax Apply	Bevel Edge	110x20mm

Microfibre Towels

Item No. SPC022 Drying Scratchless GREEN Super-Plush

60 x 90cm
80/20 Blend
360g/m²
A large scratchless Super Plush towel ideal for drying quickly, while leaving no marks or swirls.



Item No. SPC023 Buffing YELLOW Wonder Towel

72 x 60cm
80/20 Blend
350g/m²
A king size towel with waffle pattern to absorb vast amounts of water very quickly. With satin edge as an extra protection against unexpected damages.



Item No. SPC024 BLUE Glass Care Towel

56 x 60cm
80/20 Blend
285g/m²
Microfibre towels specifically designed to clean and dry glass, acrylic and all hard surfaces. The very low profile fibres on the cloth absorb and retain moisture and dust without leaving any mark.



Item No. SPC025 YELLOW & GREEN Buffing Towels

39 x 39cm
80/20 Blend
210g/m²
Our multitask microfibre towels come in two colours to avoid cross contamination. Use one for buffing and the other for waxing.



Item No. SPC026 Buffing WHITE wonder towels

40 x 40cm
80/20 Blend
350g/m²
Double sided microfibre towel with a short pile side for wiping off wax, and a deep pile on the reverse to achieve an excellent final buff.



Item No. SPC027 Drying BLUE Wonder Towels

39 x 39cm
80/20 Blend
285g/m²
Polishing towels made from the finest blend of microfibre that can be made without the need for an edge.



Item No.SPC004

39 x 39cm
80/20 Blend
280g/m²

Polishing towels made from the finest blend of microfibre that can be made without the need for an edge.



Item No. SPC029

Glazing BLUE wonder towels

40 x 40cm
80/20 Blend
330g/m²

Double sided microfibre towel with a short pile side for wiping off wax, and a deep pile on the reverse to achieve an excellent final buff.



Item No. SPC030 Merino Super Soft Lambskin Wash Mitt

17 x 24cm
Supersoft Lambskin wash mitt, with a soft cotton protective wrist cuff.

Rinse out thoroughly after use.



Item No. SPC031 Merino Super Soft Lambskin Wash Thumb Mitt

17 x 24cm
Super Soft Lambskin Wash mitt, with a soft cotton protective wrist cuff and a unique thumb design providing a better grip.



Item No. SPC028 Merino Soft Large Wash Mitt

17 x 24cm
man made fiber applicator with elasticated wrist strap.

Can be used wet for washing your project or dry for dusting it.



Item No. 1002054 200MM Wax/Polish removal bonnet

Microfibre elasticated bonnet can be washed and reused, for a perfect finish every time.



SPC096

APPLICATION

The S3 Compound can generally be used with almost all SUPERPADS Polishing Pads. We recommend using the fine orange foam (●). Greater gloss results can be achieved by adding a small amount of water to the polished area. Haze or holograms can be eliminated by following up with S30+ Premium Swirl Remover or the universal Real 1-Step Compound S20 Black. Do not use S3 on scratch-resistant clear coat systems!

(EN) The S3 is an established and very efficient extra coarse Rubbing Compound for the rapid removal of severe paint imperfections such as dust nibs, orange peel, paint runs and deep scratches.

Hazard components: Hydrocarbons, C10, aromatics, >1% naphthalene. Safety data sheet available on request.

Gefahrbestimmende Komponenten: Kohlenwasserstoffe, C10, Aromaten, >1% Naphthalin. Sicherheitsdatenblatt auf Anfrage erhältlich.

1003173

Black Applicator,
For Soft Finishing



1003175

Blue Applicator,
For Polishing



1003174

Orange Applicator,
For Compounding



1003179

Dual Function Applicator

Dual Function Applicator has a cut/scrub side for light compounding/polishing and a fine finish side for high gloss polishing and applying sealants or waxes. This applicator can be used for interior work,too. Use the yellow scrub side to clean your leather and flip the applicator and use the fine side to apply the conditioner.



1003085

Double side foam block has two sides, one side with very soft foam for waxing and finishing, the other side with medium had foam for polishing.



1003045

Microfiber Applicator, Round



1003046

Microfiber Applicator, Square



SPC001

Microfiber chenille wash pad



SPC002

Microfiber chenille mitt wash pad



SPC003

Car cleaning sponge pad

