



——LASER LEVEL COLA——
2 LINES/CROSS LASER LEVEL
(YC-S100G)

NORM



A Application & Usage



Ceiling construction



Floor Decoration



Interior decoration



Wall construction



Furniture installation



Windows and doors installation

B-1 International Online Marketing Analyst



Leica LINO L2 Laser Level Self Leveling Cross Line with Pulse, Red/Black

★★★★☆ ~ 42

More Buying Choices
\$229.99 (2 new offers)



Bosch 75' Green-Beam Self-Leveling Cross-Line Laser GLL75-40G

★★★★☆ ~ 28

\$219⁰⁰



Self Leveling Laser Level - 50ft Cross Line Laser level Laser Line leveler Beam Tool for Construction Picture Hanging Wall Writing...

★★★★☆ ~ 773

\$42⁹⁹

Save 15% with coupon

Ships to China



DEWALT (DW088K) Line Laser, Self-Leveling, Cross Line

★★★★☆ ~ 1,511

\$149⁰⁰ (\$49.67/Piece) ~~\$169.00~~

For professional projects, Dewalt's self-leveling laser delivers accurate results within one-quarter of an inch at 100 feet and comes with a vertical mount for co...



Hilti laser level PM 2-LG Line laser Laser line projectors Green laser line

★★★★☆ ~ 6

\$479⁰⁰

Ships to China

Only 3 left in stock - order soon.

More Buying Choices
\$399.00 (7 used & new offers)

The above pictures are from AMAZON 2020/02/28

B-2 Domestic Online Marketing Analyst

BOSCH 官方授权店
/ 正 / 品 / 保 / 障 /



全店限时满减
可开增值税发票

¥359.00

博世 (BOSCH) 激光绿光水平仪2线标线仪GLL30G家装DIY专享挂画打水平 2线绿

1400+条评价

博世中测专卖店

京东物流 券99-30 满99-20 险

BOSCH 博世 博世测量生活之美



博世GLL30G标配+底座+三脚架+充电器

¥889.00

博世激光水平仪博士绿光2线高精度红外线水平仪 GLL30g标配+底座+三脚架+充电器

600+条评价

润能仪器仪表专营店

险

广告

官方授权店
/ 正 / 品 / 保 / 障 /

质保两年
免费开票

徕卡LINO L2
智能两线

- 自动调平
- 可打斜线
- 准确的90°角



徕卡测量官方授权店 京东物流直发

¥2026.00

徕卡 (Leica) Lino L2激光点线仪L2P5标线仪室内装潢莱卡激光水平仪红外线打线

7条评价

雷瑟测量工具专营店

放心购 包邮 险

☐ 对比 关注 加入购物车

BOSCH 官方授权

工程装修

激光水平标线仪
高清红光自动找平



赠3M卷尺+打料线转接头

3线/5线 高精测量

¥599.00 包邮

30人付款

博世水平仪GLL5-50X红外线标线仪5线3线激光水平仪2线绿光水平仪

不凡家居专营店 广东 东莞

全国联保

BOSCH 电动工具 官方旗舰店

四倍绿光 无所不精



立减81 活动价 ¥899

01/21 0点开始!

享 顺丰发货 (SF)

¥980.00 包邮

21人收货

博世绿光水平仪GCL2-15G激光标线仪2线2点/投线室外室内找平打线

博世电动工具旗舰店 江苏 苏州

The above pictures are Alibaba /Jingdong 2020/02/28

C Our Laser level

RED



Product Appearance



GREEN




D-1 Function

Function 1 : self-leveling



$< 4^\circ$, self-leveling , LED indicator green; $> 4^\circ$, LED indicator red, laser beam flickers

Function 2 : slope function



Locking mode , A long press on ON/OFF button , LED indicator red , match with our bracket , slope function can be available at any angle

D-2 Function

Function 3 : Power saving




Laser is on , a short press on function button to control brightness at 50%, 60%, 80%, 100%.

Function 4 : Pulse Mode



Laser tool is in the Unlocked Position , , a long press on function button to enter pulse mode to use detector for much longer working distance.

E-1 Product Advantages




Vertical lines at any angle

Metal top , magnet on bottom , two sets match with each other , can provide vertical lines at any angle



Universal Type-C port


Type-C port , 1000mAh li-ion Samsung battery, electricity display



Energy-saving model

Brightness control , 50% bright, 60% bright, 80% bright, 100% bright can be met for different clients' needs to save energy

E-2 Product Advantages



1vertical laser diode +1 horizontal laser diode

Laser can provide 1 horizontal line, 1 vertical line , and cross laser lines



OSRAM DIODE

Osram LD source (the same as Bosch quality)
work at lower and higher temperature ,
long life , brighter, nice looking.



Double color mould

Double color , much more rubber on shell ; soft
touching feeling , solid , durable.

F Appearance & Parameters

Appearance




型号Model	Red beam	Green beam
激光波长 Laser wavelength	630-670nm	505-550nm
激光模组功率 LD power	5mw	10mw
激光安全等级 Laser class	2级 (输出功率<1mW) Class 2	
激光束 Laser beam	—水平—垂直1H1V	
精度 (H/V) Accuracy(H/V)	±1.5mm/5m	
自动补偿范围 Auto-compensation Range	4° ± 1°	
IP等级 IP rating	IP54	
工作温度 Working temperature	- 10~50℃	
储藏温度 Storage temperature	- 25~70℃	
工作范围 Working range	Aout15m	Aout30m
工作时间 Working time	First gear About 12 hours Fourth gear About 24 hours	First gear About 3 hours Fourth gear About 6 hours
电池Battery	1000mAh 内置锂电 (Type-C 接口)	
产品重量Net weight	206g	
产品尺寸Size of level (无电池)	96*φ58mm	


G Certificates



CE



FCC



ROHS

TEST REPORT EN 60825-1 Safety of laser products - Part 1: Equipment classification and requirements	
Report reference No.	ED190524038L
Tested by	Sally Chen
Approved by	June Luo
Date of issue	July 04, 2019
Contents	17 pages
Testing laboratory	
Name	EMTEK(Dongguan) CO., LTD.
Address	-182F, Building 2, Zone A, Zhongda Marine Biotechnology Research and Development Base, No. 3 Xincheng Avenue, Songshanhu High-technology Industrial Development Zone, Dongguan, Guangdong, China
Testing location	Same as above
Client	
Applicant name	Yangzhou Coworker Optoelectronic Technology Co. Ltd.
Address	NO.217, Kaifu West Road, High-Tech Development Zone, Yangzhou, China
Manufacturer name	Yangzhou Coworker Optoelectronic Technology Co. Ltd.
Address	NO.217, Kaifu West Road, High-Tech Development Zone, Yangzhou, China
Factory name	Yangzhou Coworker Optoelectronic Technology Co. Ltd.
Address	NO.217, Kaifu West Road, High-Tech Development Zone, Yangzhou, China
Test specification	
Standard	EN 60825-1:2014
Test procedure	Safety
Test item	
Product name	LASER LEVEL
Trademark	N/A
Model and/or type reference	YC-1011, YC-PXC, YC-YP01, YC-3603, YC-WR17, YC-S100G, YC-1012, YC-T01, YC-T02, YC-S360, YC-3601, YC-3602, X-LINER
Rating(s)	DC3.0V / DC1.5V X 2, "AAA" size batteries

IEC60825