



Test Report

No.T32020211609SC

Date: FEB 10, 2020

Page 1 of 6

NEW LEADER BATTERY LIMITED
FLAT A, 4/F, BLOCK 1, CAMELPAINT BUILDING, 62 HOI YUEN ROAD, KWUN TONG, HONG KONG

The following samples were submitted and identified on behalf of the client as:

1.5 VOLT 0.% HG MERCURY FREE ALKALINE ZINC MANGANESE BUTTON CELL

SGS Case No. : CA320202127309
Style / Item No. : G 13/LR44/357/A76, LR44 (EXP), LR44 (HG.PB) G 12/ LR43/386/186, G 11/LR721/362/162, G 10/LR1130/389/189, G 9/ LR936/394/194, G 8/LR1120/ 391/191, G7 / LR927/395/195, G6 /LR920 /371/171, G5 /LR754/ 393/193, G4 / LR626/377/177, G3/ LR41 / 393/192, G2/ LR726/SR726/ 196, G1/LR621/364/164, G 0/LR521/SR521, LR932, LR732, LR632
Sample Receiving Date : JAN 21, 2020
Test Performing Date : JAN 21 - 31, 2020

Table with 2 columns: Test Requested, Conclusion. Rows include European Directive 2006/66/EC, US Public Law 104-142, European RoHS Directive 2015/863/EU, and Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) Content.

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of
SGS Hong Kong Ltd.

Handwritten signature of Henry Cheung

Cheung Cheuk Fung, Henry
Assistant Operations Manager



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Test Results:**
**1. European Directive 2006/66/EC and its amendments (Directive 2013/56/EU) – Lead, Cadmium and Mercury Content**

Method: With reference to IEC 62321-4:2013, IEC 62321-5:2013

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Atomic Absorption Spectrometer (AAS) / Direct Mercury Analyzer (DMA)

For Button Cells

Test Item(s)	Lead (Pb)	Cadmium (Cd)	Mercury (Hg)
MDL (%)	0.001	0.001	0.0001
Labeling requirement (%)	> 0.004	> 0.002	--
Permissible Limit (%)	--	0.002	0.0005
<b>Specimen Description</b>	<b>Result(s) (%)</b>		
1. Silvery metal (LR-41 button cell)	ND	ND	ND

- Note:
- % = percentage by weight
  - ND = Not Detected (lower than MDL)
  - 1% = 10000 mg/kg = 10000 ppm
  - > = greater than

**2. US Public Law 104-142 (1996) Title II – Mercury-Containing Battery Management Act – Mercury Content**

Method: IEC 62321-4:2013

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Direct Mercury Analyzer (DMA)

For Alkaline Manganese Button Cell

Test Item(s)	Mercury (Hg)
MDL (mg/cell)	10
Permissible Limit (mg/cell)	25
<b>Specimen Description</b>	<b>Result(s) (mg/cell)</b>
1. Silvery metal (LR-41 button cell)	ND

- Note:
- mg/cell = milligram per cell
  - ND = Not Detected (lower than MDL)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**3.1) EU Directive 2015/863/EU amending Annex II to Directive 2011/65/EU (RoHS, Previously 2002/95/EC) - Wet Chemical**

Method :

For Lead, Cadmium : With reference to IEC 62321-5:2013, analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Atomic Absorption Spectrometer (AAS).

For Mercury : With reference to IEC 62321-4:2013+AMD1:2017, analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

For PBB and PBDEs : With reference to IEC 62321-6:2015, analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

For Chromium (VI) : With reference to IEC 62321-7-1:2015, analysis was performed by Ultraviolet Visible Spectrophotometer (UV-Vis)

Test Item(s)	Result (mg/kg)	MDL (mg/kg)	Permissible Limit (mg/kg)
	1		
Lead (Pb)	ND	2	1000
Cadmium(Cd)	ND	2	100
Mercury (Hg)	ND	2	1000
Hexavalent Chromium by spot test / boiling water extraction (Cr(VI))	Negative	#	#
Sum of PBBs	ND	--	1000
Monobromobiphenyl	ND	5	--
Dibromobiphenyl	ND	5	--
Tribromobiphenyl	ND	5	--
Tetrabromobiphenyl	ND	5	--
Pentabromobiphenyl	ND	5	--
Hexabromobiphenyl	ND	5	--
Heptabromobiphenyl	ND	5	--
Octabromobiphenyl	ND	5	--
Nonabromobiphenyl	ND	5	--
Decabromobiphenyl	ND	5	--
Sum of PBDEs	ND	--	1000
Monobromodiphenyl ether	ND	5	--
Dibromodiphenyl ether	ND	5	--
Tribromodiphenyl ether	ND	5	--
Tetrabromodiphenyl ether	ND	5	--
Pentabromodiphenyl ether	ND	5	--
Hexabromodiphenyl ether	ND	5	--
Heptabromodiphenyl ether	ND	5	--
Octabromodiphenyl ether	ND	5	--
Nonabromodiphenyl ether	ND	5	--
Decabromodiphenyl ether	ND	5	--
<b>Comment</b>	PASS	--	--

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

1. Silvery metal (LR-41 button cell)

- Note:
- mg/kg = milligram per kilogram
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)
  - .# = Negative means the absence of CrVI on the tested areas; Positive means the presence of CrVI on the tested areas. The detected CrVI concentration in the boiling-water-extraction solution is equal to or greater than 0.02 mg/kg with 50cm<sup>2</sup> sample surface area.
  - The maximum permissible limit is quoted from the EU Directive 2015/863/EU amending Annex II to Directive 2011/65/EU.

**3.2) EU Directive 2015/863/EU amending Annex II to Directive 2011/65/EU (RoHS, Previously 2002/95/EC) - Phthalates Content**

Method: With reference to IEC 62321-8:2017  
 Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	CAS No.	Result(s) (mg/kg)	MDL (mg/kg)	Permissible Limit (mg/kg)
<b>Specimen No.</b>	--	<b>1</b>		
Dibutyl Phthalate (DBP)	84-74-2	ND	50	1000
Benzylbutyl Phthalate (BBP)	85-68-7	ND	50	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	50	1000
Diisobutyl phthalate (DIBP)	84-69-5	ND	50	1000

Specimen Description:

1. Silvery metal (LR-41 button cell)

- Note:
- mg/kg = milligram per kilogram
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit
  - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Sample Photo:**



Photo provided by client



Tested sample



Photo provided by client

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Photo provided by client



Photo provided by client

SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*